

This booklet is based on the most current International Olympic Committee (IOC) list of banned substances and methods. Please note that this list is not exhaustive and that many over-the-counter medications may contain restricted or banned substances.

The Canadian Centre for Ethics in Sport (CCES) provides information services to any individual or organization seeking to know whether or not a particular substance or practice is banned or restricted for use in sport competition. Please note, however, that the CCES does not "clear" or "approve" consumer products for consumption by Canadian athletes.

All athletes bear the sole responsibility of ensuring that they comply with the rules and regulations of competition which include any sport federation restrictions and the IOC list of banned and restricted doping classes and methods. If in doubt about any substance or product avoid its use.

The information in this publication is provided for reference purposes only. The banned categories and lists of examples in this booklet are subject to change by the appropriate sanctioning authorities.

For further information contact:

Canadian Centre for Ethics in Sport (CCES)

2197 Riverside Drive, Suite 300

Ottawa, Ontario K1H 7X3

Telephone: 613-521-3340

Toll free: 1-800-672-7775 (in Canada)

Fax: 613-521-3134

E-mail address: info@cces.ca

Web Site: www.cces.ca

HELPING ATHLETES COMPETE DRUG-FREE

The Canadian Centre for Ethics in Sport (CCES) promotes ethical conduct in all aspects of sport in Canada. It is a distinct privilege to be able to contribute to the value of sport, and its place in Canadian society. It is also a tremendous obligation to ensure that sport is itself ethical, and that respect for persons becomes a fundamental value of the sport experience for all Canadians.

The CCES is committed to promoting a fair and drug-free sport environment for all Canadian athletes. We believe that athletes compete because they love their sport, they respect the game and they want to achieve excellence. Collectively, Canadian athletes have called on the CCES to provide services and programs to achieve fair and ethical sport. It is our responsibility to ensure that we provide a sport system in which all Canadians can share a sense of trust, confidence, respect and pride in the pursuit of athletic excellence.

The following booklet will provide athletes, coaches and others involved in sport with the International Olympic Committee's list of banned substances and methods. This list is meant to give you a good overview of banned substances and methods and provide you with alternatives in the event that you need to take medication. If you are ever unsure or have any questions regarding medication, please contact the CCES for further information.

Revised May 2000

Contents:

- Section 1:** Banned classes and methods
- Section 2:** Restricted substances
- Section 3:** Supplements, herbals, homeopathics, etc.
- Section 4:** Permitted substances
- Section 5:** Alphabetical listing of banned substances

SOME HELPFUL HINTS:

1. If there is any doubt, do not take the medicine, preparation, supplement or substance.
2. Some "vitamin", "natural", "herbal" or "homeopathic" preparations may contain banned or restricted substances.
e.g. Ephedra (Ma-huang) contains ephedrine, N-methyl ephedrine and pseudoephedrine. Nux-vomica and the seeds of Strychnos species contain strychnine. Caffeine is found in chocolate, coffee, cocoa, cola, maté and tea.
3. Some medicines have similar brand names. One may contain a banned substance, the other may not.
e.g. Robitussin is permitted but Robitussin Cough & Cold contains a banned substance (pseudoephedrine).
4. Remember that medications on the banned list are not all oral (liquid/tablet) preparations. Some of them are injectable or suppositories.
5. If your personal physician has prescribed a medication, be sure to show him/her this list or contact the Canadian Centre for Ethics in Sport (CCES) if there is any concern about whether the medication is permitted.

The Canadian Centre for Ethics in Sport (CCES) gratefully acknowledges the financial support of the Department of Canadian Heritage.

The CCES would like to thank the INRS-Institut Armand-Frappier-Santé humaine (IOC-accredited laboratory) for their assistance in the production of this booklet.

Banned classes and methods

Although the following categories and examples of substances are taken from the available International Olympic Committee (IOC) Medical Commission Prohibited Classes of Substances and Methods of Doping, they do not include all banned substances which could be found under these categories.

Some sport governing bodies may ban different or additional substances. We therefore recommend that you check with your National Sport Governing Body to be more fully informed (e.g. International Modern Pentathlon Federation also bans barbiturates).

Before taking any substance, show this list to your physician or pharmacist. Doping contravenes the ethics of both sport and medical science. The IOC Medical Commission bans:

- a) the administration of substances belonging to selected classes of pharmacological agents: stimulants, narcotics, anabolic agents, diuretics, peptide hormones, mimetics and analogues;
- b) the use of various doping methods: blood doping, pharmacological, chemical and physical manipulation and the administration of artificial oxygen carriers or plasma expanders.

IOC CATEGORIES OF BANNED SUBSTANCES

The most common names are listed first; other non-proprietary names follow in italics. Canadian trade names are given next, as well as some other trade names (†) used in the United States or in Europe. Please remember that this list is not exhaustive.

A. STIMULANTS INCLUDING:

Amfepramone (*diethylpropion*, Tenuate,
Nobesine, †M-Orexic, †Tepanil, †Anorex,
†Atractil, †Delgamer, †Linea,
†Prefamone)
Amfetaminil (*amphetamine*, †AN 1, †Vit02)
Amineptine (†Directin, †Maneon,
†Surveyor)
Amiphenazole (*amifenazole*, †Daptazole,
†Daptazole)
Amphetamine (amphetamine,
desoxynorephedrine, *dexamphetamine*,

Dexedrine, †Centramina, †Biphetamine,
†Dexedrina)
Bambuterol (†Bambec)
Benzphetamine (*benzphetamine*, †Didrex)
Bromantan
*Caffeine (Anacin-AF, Cafergot,
217, 217 strong, Tylenol #3 with
caffeine, Wake-ups, Anacin, C2,
222, 282, 292, Exdol-8,-15,-30,
Fiorinal)
Carphedon
Cathine (*norpseudoephedrine*,
†Amorphan, †Cathin, †Mirapront
N, †Schlank Schlank EB)

Chlorphentermine
 Clenbuterol (Ventipulmin (veterinary),
 †Spiropent, †Planipart,
 †Bronchoterol, †Cesbron,
 †Clenasma, †Monores,
 †Prontovent, †Ventolase,
 †Mucospas, †Spasmo Mucosolvan)
 Clobenzorex (†Dinintel, †Finedal)
 Clorprenaline (*isoprofenamine*,
 isoprophenamine)
 Cocaine (BDH, Sabex,)
 Cropropamide (†Micoren)
 Crotetamide (*crothetamide*, †Micoren)
 Dimethylamphetamine (*dimethylamphetamine*,
 †*Metrotonine*)
 Ephedrine (Balmimin Nasal Ointment,
 Ephedrine +, Omni-Tuss, Ephedrine sulfate,
 I.D.M., Tedral, †Daro Asthma, †Endrine,
 †Neo Rhinovit)
 Etaphedrine (*etafedrine*, *ethylephedrine*,
 Mercadol-Decaprym, Calmydone,
 Dalmacol)
 Ethamivan (*etamivan*, †Clairvan, †Vizocaf,
 †*Cinnarplus*)
 Ethylamphetamine (*etamfetamine*,
 ethamphetamine, *etilamfetamine*, †*Apetinil*-
 Depo)
 Fencamfamine
 Fenetylline (*7-ethyltheophylline amphetamine*,
 †*Captagon*)
 Fenfluramine (†Ponderal, †Ponderax)
 Fenproporex (†Antobes retard, †Dicel,
 †Drenur, †Grasmin, †Perphoxene,
 †Tegisec)
 Fenozolone (†*Ordinator*)
 Formoterol (Foradil, Oxeze Turbuhaler)
 Furfenorex
 Heptaminol
 Mefenorex (*chlorpropyl amphetamine*,
 †*Pondinil*, †*Rondimen*)
 Mephentermine (Wyamine)
 *Mesocarb (*Fensidnidmine*, *Sydnocarb*)
 Methamphetamine (*methylamphetamine*,
 desoxyephedrine, Phelantin, †Desoxyn,
 †*Pervitin*)
 Methoxydimethylmethamphetamine (MDMA,
 Extasy)
 Methoxyphenamine (*mexyphamine*)
 Methylephedrine
 Methylphenidate (Ritalin, PMS-
 Methylphenidate, Riphendate)
 Morazone (†Rosimon Neu)
 Nikethamide (*nicethamide*, †*Coramine*,
 †*Coramina*, †*Nicorine*, †*Nikethamide*)
 Norphenfluramine
 Pemoline (*phenoazazole*, *phenylisohydantoïne*,
 Cylert, †Deltamine, †Anform, †Pemolen,
 †Senior, †Stimul, †Tradon, †Volital)
 Pentetrazol (pentylenetetrazol,
 †*Pentetrazolum-OPG*, †*Sympatocard*,
 †*Dicovix*)
 Phendimetrazine (*phenimethoxazine*,
 †*Plegine*, †*Anoran*, †*Antapantan*)
 Phenmetrazine (*oxazimedrine*, †*Preludin*,
 †*Cafilon*)
 Phentermine (Ionamin, †*Adipex-P*,
 †*Dapex*, †*Obephen*, †*Duromin*,
 †*Mirapront*, †*Obermine*,
 †*Obestin-30*, †*Oby-Trim*,
 †*Panshape*, †*Phentercot*,
 †*Phentride*, †*Phentrol*, †*T-Diet*,
 †*Teramin*, †*Wilpowr*, †*Zantryl*)
 Phenylephrine (ex., Neo-Synephrine,
 Novahistine DH, Dimetapp-A-
 Sinus, Hycomine, Dimetane
 Expectorant, Dristan, Dristan Extra
 Strength, , Dimetapp, Novahistex-C,-DH, -DH Expectorant, Coristex-DH and others)
 Phenylpropanolamine (e.g. Contac
 Cold 12 Hour Relief, Entex-LA,
 Triaminicin, Triaminic Cold and
 Allergy Syrup, Tablets, DM
 Daytime, Sinutab SA, Dimetapp
 Quick dissolve and others)
 Pholedrine
 Pipradol (*pipradrol*, Alertonic)
 Prolintane (†*Katovit N*, †*Promotil*)
 Propylhexedrine
 (*hexahydrodesoxyephedrine*,
 †*Benzedrex*, †*Eventin*)
 Pyrovalerone

Pseudoephedrine (ex. Allegra-D, Balminil Decongestant, Eltor 120, Sudafed, Dristan N.D., Sinus, Sinutab, Tylenol Allergy sinus, Formula 44 M, Tylenol Cold Medication, Tylenol Decongestant, Nyquil, Calmylin Cough & Flu Regular, #2, #3, Actifed, Actifed Plus Extra Strength, Plus Sinus, Pseudofrin and others)

Reprotole (†Broncospamine)

***Salbutamol (Albuterol, Alti-Salbutamol, Apo-Salvent, Ventolin, Novo-Salmol, Nu-Salbutamol, Airomir)

***Salmeterol (Serevent)

Selegiline (Novo-Selegiline, Apo-Selegiline, Elprenyl, Gen-Selegiline)

Strychnine (Rumilax plus, Ketamalt, Malt plus, †Laevotonin)

***Terbutaline (Bricanyl tablets, Bricanyl Turbuhaler, †Brethaire, †Brethine)

and related compounds

Please note: the use of anorexic agents such as phentermine and phenmetrazine (stimulants) is prohibited.

The use of decongestant nasal sprays including those containing phenylephrine is permitted.

The use of vasoconstrictors such as epinephrine in conjunction with local anaesthetics is permitted.

*For caffeine the definition of a positive result depends on the concentration of caffeine in the urine. The concentration in urine may not exceed 12 micrograms per milliliter.

**For cathine, the definition of a positive is a concentration in urine greater than 5 micrograms per millilitre. For ephedrine and methylephedrine, the definition of a positive is 10 micrograms per milliliter of urine. For phenylpropanolamine and pseudoephedrine the definition of a positive is 25 micrograms per milliliter.

***Permitted by inhaler only to prevent and/or treat asthma and exercise-induced asthma. Written notification of asthma and/or exercise-induced asthma by a respiratory or team physician is necessary to the relevant medical authority.

***For Salbutamol the definition of a positive under the stimulant category is a concentration in urine greater than 100 nanograms/milliliter

Note: All imidazole preparations are acceptable for topical use, e.g. oxymetazoline. Vasoconstrictors (e.g. adrenaline, epinephrine) may be administered with local anaesthetic agents. Topical preparations (e.g. nasal, ophthalmological or rectal) of adrenaline and phenylephrine are permitted.

B. NARCOTICS INCLUDING:

Alphaprodine

Anileridine (Leritine)

Buprenorphine (†Buprenex, †Buprex, †Prefin, †Temgesic)

Dextromoramide

Diamorphine (*heroin*, Diamorphine)

Dipipanone

Ethoheptazine (Momentum, Equagesic)

Hydrocodone (Hycodan, Robidone, Dalmacol, Hycamine and others)

Hydromorphone (*dihydromorphinone*, Dilaudid, PMS-Hydromorphone)

Levorphanol

Methadone (†Dolophine,

†Physeptone, †Methadose)

Morphine (Morphitec, M.O.S., M.O.S.-S.R., -Sulfate, Morphine sulfate injection UPS, MS Contin, Statex, †Roxanol, MS.IR and others)

Nalbuphine (Nubain)

Pentazocine (Talwin, †Talacen)

Pethidine (*Meperidine, Isonipecaine*, Demerol, Meperidine, Meperidine HCl, Pethidine HCl, Pamergan, Pethidine Injection BP)

Phenazocine (†Narphen)

Trimeperidine
and related compounds

Please note: the use of codeine, dextromethorphan, dextropropoxyphene, dihydrocodeine, diphenoxylate, ethylmorphine,

pholcodine and propoxyphene and tramadol for medical purposes is permitted.

C. ANABOLIC AGENTS INCLUDING:

i) Anabolic Androgenic Steroids

Androstanolone (*DHT*,

dihydrotestosterone, †*Stanolone*,
 †*Anabolex*, †*Andractrim*)

Androstenediol (†5AD-

Androstenediol, †5 AD, †*Pentabol*,
 †5-*Androdiol*, †5-*Andro*, †4-AD,
 †*Androdiol*, †4-*Androstenediol*,
 †*Diol-4*)

Androstenedione (†*Androstene-50*,

 †*Androstene-100*,
 †*Androstenedione-100*,
 †*Androforte*, †*Androgen*,
 †*Tetrabol*, †*Androstene*,
 †*Libidione* and others)

Bolasterone

Boldenone (*Equipoise* (veterinary))

Clostebol (*chlortestosterone*,

 †*Steranabol*, †*Alfa Trofodermin*,
 †*Dermanabol*, †*Trofodermin*,
 †*Trofoseptine*)

Danazol (*Cyclomen*, †*Danocrine*)

Dehydrochlormethyltestosterone

 (*turinabol*, †*Oral-turinabol*)

Dehydroepiandrosterone (*DHEA*,

 †*DHEA*)

Dihydrotestosterone (*DHT*,
 Androstanolone)

Drostanolone (*dromostanolone*,

 †*Drolban*, †*Masterid*, †*Masteril*,
 †*Masteron*, †*Metormon*,
 †*Premastril*)

Fluoxymesterone (*Halotestin*, †*Ora-Testryl*, †*Android-F*)

Furazabol (†*Mitolon*)

Gestrinone (†*Nemestran*, *Dimetriose*,
 Dimetrose)

Mesterolone (†*Proviron*, †*Pluriviron*)

Methandienone (*methandrostenolone*)

Methandriol

Metenolone (*Methenolone*,

 †*Primobolan*)

Methyltestosterone (*Methandren*,

Premarin with methyltestosterone,

 †*Android*, †*Oreton*, †*Testred*,

Methyltestosterone

 tabs.(veterinary), *Geri-Bons*

 (veterinary), *Geri-tabs* (veterinary),

Dermonal (veterinary)

Mibolerone (†*Cheque* (veterinary))

Nandrolone (*Deca-Durabolin*,

Nandrabolin (veterinary),

 †*Anabolin*, †*Androlone*, †*Hybolin*,

 †*Nandrobolic*)

19-norandrostenediol (†19-Nor-diol,

 †*Norandrostenediol*, †*Mirabol*)

19-norandrostenedione (†19-

Norandrostene, †19-

Norandrostenedione,

 †*Norandrostenedione*,

 †*Bolandione*)

Norethandrolone (*Nilevar*)

Oxandrolone (†*Anavar*)

Oxymesterone (†*Oranabol*)

Oxymetholone (*Anapolon 50*,

Androyd, †*Anadrol*, †*Anasteron*,

 †*Dynasten*, †*Oxitosona*,

 †*Plenastril*, †*Synasteron*,

 †*Zenalousyn*)

Stanozolol (*Winstrol*, *Winstrol-V*

 (veterinary), †*Stromba*,

 †*Strombaject*)

*Testosterone (*Anatest* (veterinary),

Andriol, *Andriol* (veterinary),

Climacteron, *Delatestryl*, *Depo-*

Testosterone cypionate, *Heifer-aid*

 (veterinary), *Synovex-H*

 (veterinary), *Testos-100*

 (veterinary), *Testosterone patch*,

 †*Testamone-100*, †*Testaqua*,

 †*Testex*, †*Testoderm*, *Scheinpharm*

Testone-Cyp, †*Andronate*,

 †*Depotest*, †*Tested Cypionate 200*,

 †*Virilon IM*, †*Androppository 100*,

†Delatest, †Everone 200, †Testrin-P.A.,

Trenbolone (†Parabolan, †Finaject (veterinary))

and related compounds

Note: Testosterone and nandrolone precursors could be found in mixtures in different preparations and are banned for example: Andro-9-Way Spike (androstenedione, DHEA, Androst-5-enediol, 19-Norandrostenedione), Andro-9 (androstenedione, DHEA), Medroïd (19-Nor-androst-4-enediol, androstenedione, 19-norandrostenedione, androst-4-enediol, 5-androst-5-enediol), 19-nortribustene (19-norandrostenedione, androstenedione, DHEA), Kaisen Androbolic (19-norandrostenedione, andros-4-enediol, andros-5-enediol), 19-Nor-Complex (19-norandrostenediol, 19-norandrostenedione)

Evidence obtained from metabolic profiles and/or isotopic ratio measurements may be used to draw definitive conclusions.

*The presence of a testosterone to epitestosterone ratio greater than 6:1 in the urine of a competitor constitutes an offence unless there is evidence that this ratio is due to a physiological or pathological condition (e.g. low epitestosterone excretion, androgen producing tumour, enzyme deficiencies).

In the case of T/E higher than 6, it is mandatory that the relevant medical authority conduct an investigation before the sample is declared positive. A full report will be written and will include a review of previous tests, subsequent tests and any results of endocrine investigations. In the event that previous tests are not available, the athlete should be tested unannounced at least once per month for three months. The results of these investigations should be included in the report. Failure to cooperate in the investigations will result in declaring the sample positive.

ii) Beta-2 Agonists

When administered orally or by injection, beta-2 agonists may have powerful anabolic effects.

Bambuterol (†Bambec)

Clenbuterol (†Broncoterol, †Spiropent, Ventipulmin (veterinary))

Fenoterol (Berotec, Duovent UDV)

Formoterol (Foradil, Oxeze Turbuhaler)

Reprotorol († Bronchospamin)

Salbutamol*(Albuterol, Alti-Salbutamol, Apo-Salvent, Ventolin, Novo-Salmol, Nu-Salbutamol, Airomir)

Salmeterol*(Serevent)

Terbutaline*(Bricanyl tablets, Bricanyl

Turbuhaler, †Brethaire, †Brethine)

and related compounds

* Permitted by inhalation as described in section 1A.

For salbutamol the definition of a positive under the anabolic agent category is a concentration in urine greater than 1000 nanograms per millilitre (out-of-competition).

D. DIURETICS INCLUDING:

Acetazolamide (Acetazolam, Apo-Acetazolamide, Diamox, Novo-Zolamide)

Amiloride (Midamor, Apo-Amilzide, Moduret, Novamilor, Nu-Amilzide)

Bendroflumethiazide (*Bendrofluazide, Benzhydroflumethiazide*, Corzide, Naturetin-K)

Benzthiazide (†Aquatag, †Exna, †Hydrex)

Bumetanide (Burinex, †Bumex)

Canrenone

Chlormerodrin

Chlortalidone (*chlorthalidone, chlorphenalidone*, Apo-Chlorthalidone, Novo-Thalidone, Combipres, Hygroton-Reserpine, Tenoretic, Uridon)

Clopamide (†Brinaldix, †Viskaldix)

Diclofenamide († Antidrasí)

Ethacrynic acid (Edecrin)

Furosemide (*frusemide*, Apo-

Furosemide, Furosode, Lasix, Novo-Semide, Urietol)

Hydrochlorothiazide

(*dihydrochlorothiazide*, Apo-Hydro, HydroDiuril, Neo-Codema, Novo-Hydrazole, Aldactazide, Apo-

Amilzide, Apo-Methazide, Apo-Spirozide, Apo-Triazide, Dyazide, Inderide, Inhibace Plus, Ismeline-Esidrix, Moduret, Neo-Diurex, Novo-Doparil, Novo-Spirozine, Novo-Triamzide, Nu-Amilzide, Nu-Triamzide, PMS Dopazide, Serpasil Esidrix, Timolide, Vaseretic, Viskazide, Accuretic and others)

Indapamide (Apo-Indapamide, Gen-Indapamide, Lozide, †Lozol, PMS-Indapamide)

*Manitol

Mersalyl

Metolazone (Zaroxolyn)

Spironolactone (Aldactone, Novo-Spiroton, Aldactazide, Apo-Spirozide, Novo-Spirozine)

Torsemide (*torasemide*, †Torem)

Triamterene (Dyrenium, Apo-Triazide, Dyazide, Neo-Viurex, Novo-Triamzide, Nu-Triazide)

Xipamide (†Aquafor, †Diurexan)

and related compounds

*Prohibited by *intravenous injection*.

E. PEPTIDE HORMONES, MIMETICS AND ANALOGUES

1. Chorionic Gonadotrophin (hCG-human chorionic gonadotrophin, A.P.L., Profasi HP, Humegon, Pregnyl) (Prohibited in males only)
2. Pituitary and synthetic gonadotrophins (ex: LH) (Prohibited in males only)
3. Corticotrophins (ACTH, Acthar, Acthar Gel, Cortrosyn, †Cortrophin, tetracosactide)
4. Growth hormone (hGH-somatotrophin, Humatropin, Protropin, Serostim)
5. Insulin-like Growth Factor (IGF-1);

And all the respective releasing factors and their analogues (Lupron Depot, Suprefact, Zoladex);

6. Erythropoietin (EPO, Exprex);
7. Insulin*

* Permitted only to treat athletes with certified insulin-dependent diabetes. Written certification of insulin-dependent

diabetes must be obtained from an endocrinologist or team physician.

8. Clomiphene (Prohibited in males only); (Clomid, Serophene)
9. Cyclofenil (Prohibited in males only); (†Fertodur, †Neoclym, †Rehibin)
10. Tamoxifen (Prohibited in males only); (Apo-Tamox, Gen-Tamoxifen, Nolvadex, Novaldex-D, Novo-Tamoxifen, PMS-Tamoxifen, Tamofen, Tamone)

The presence of an abnormal concentration of an endogenous hormone or its diagnostic marker(s) in the urine of a competitor constitutes an offense unless it has been proven to be due to a physiological or pathological condition.

Any substance (natural or synthetic) that results in an elevation of these hormones is also banned.

All the respective releasing factors and related compounds of the substances listed above are also prohibited.

F. SUBSTANCES THAT ALTER THE INTEGRITY OF THE URINE SAMPLES

The use of substances causing inhibition of renal excretions such as probenecid and related compounds, are banned.

Epitestosterone

Probenecid (Benemid, Benuryl, Ampicin-PRB, Pro Biosan)

Soda Loading

BANNED DOPING METHODS

A. BLOOD DOPING

Blood doping is the administration of blood, red blood cells, artificial oxygen carriers and related blood products to an athlete. This procedure may be preceded by withdrawal of blood from the athlete who continues

to train in this depleted state.

B. ADMINISTRATION OF ARTIFICIAL OXYGEN CARRIERS OR PLASMA EXPANDERS

Examples:

Artificial oxygen carriers: Perfluorocarbons (PFC)

Plasma expanders: Pentaspan (pentastarch), Rheomacrodex (dextran 40), hydroxyethyl starch (HES,)

C. PHARMACOLOGICAL, CHEMICAL AND PHYSICAL MANIPULATION OF THE URINE

The use of substances and methods which alter, attempt to alter or may reasonably be expected to alter the integrity and validity of urine samples used in doping control is banned.

These include, without limitation, the administration of diuretics, catheterisation, sample substitution and/or tampering, inhibition of renal excretion such as by probenecid and related compounds, and alterations of testosterone and epitestosterone measurements such as epitestosterone or bromantan administration.

* An epitestosterone concentration in the urine exceeding 200 nanograms per millilitre will have to be investigated as described in section I.C (I) for testosterone.

The success or failure of the use of a prohibited substance or method is not a factor in determining whether an infraction has occurred. It is sufficient that the said substance or procedure was used or attempted for the infraction to be considered to have occurred.

Restricted substances

A) LOCAL ANAESTHETICS

Injectable local anaesthetics are permitted *only* under the following conditions:

- a) when bupivacaine, lidocaine, mepivacaine, procaine and related substances are used, with the exception of cocaine; vasoconstrictor agents(e.g. adrenaline) may be used in conjunction with local anaesthetics;
- b) local or intra-articular injections may be administered only when medically justified

Where the rules of a responsible authority so provide, notification of administration may be necessary.

B) ASTHMA AND RESPIRATORY AILMENT DRUGS

Please note:

1. The use of **three** different B2-agonists (by inhalation only) are now permitted. These are ***salbutamol, salmeterol and terbutaline**. Examples of Canadian brand names are Ventolin inhaler, Serevent inhaler and Bricanyl inhaler, respectively. As before, **oral administration (tablet form) of these medications is not permitted under any circumstances**.

*A cut off level for a positive result for salbutamol has been established at a level greater than 1000 nanograms/millilitre (out-of-competition test as anabolic agent) and greater than 100ng/mL (competition test as stimulant).

2. Athletes must now provide **written declaration** in advance of a doping control test.
3. The newly required declaration must include the following:
 - i) The use of these medications must be declared in writing, to the appropriate authority, prior to testing (competition or out-of-competition).
 - ii) In Canada, the appropriate authority is the Canadian Centre for Ethics in Sport (CCES).

- iii) For international events, within or outside of Canada, the appropriate authority will typically be the medical authority of an international sport federation or major games medical commission (e.g. 2000 Sydney Olympic Games Medical Commission). If so required, athletes must provide such declarations well in advance of the event.
- iv) The written declaration must include the following information:
 - Athlete's name
 - Sport and discipline
 - Name of substance
 - Dosage
 - Route and date of administration
 - Name of physician
 - Physician's diagnosis
 - Physician's signature

We would ask that you please use the attached declaration form:

- All Canadian athletes must now declare the use of such substances, in writing, providing the above noted information, directly to the Canadian Centre for Ethics in Sport, prior to any testing in Canada.
- It is essential, particularly during competitions, that if selected for doping control the use of these prescription or non-prescription substances be declared by the athlete at the testing venue. Failure to declare the use of such medications may result in a doping infraction.
- In general, if selected for testing at a competition or out-of-competition testing in Canada, the athlete will be requested to declare any medications taken within the last ten (10) days. This information will be noted on the athlete's Doping Control Form. A copy of the notification form should also be provided to the CCES Doping Control Officer. This will be attached to the CCES copy of the athlete Doping Control Form.
- The recommended IOC sanction for a finding of these B2-agonists, when not properly declared, is three (3) months.

C) GLUCOCORTICOSTEROIDS

Stronger restrictions have been required due to the increasing non-therapeutic use of glucocorticosteroids. The use of glucocorticosteroids is banned *except for*:

- a) topical use (aural, dermatological and ophthalmological) but not systemic and rectal e.g. suppositories (peri-anal is acceptable);
- b) by inhalation; and
- c) by intra-articular or local injection.

The IOC Medical Commission has introduced mandatory reporting of athletes requiring glucocorticosteroids by inhalation during competitions. Any team doctor wishing to administer glucocorticosteroids intra-articularly, locally or by inhalation to a competitor must give written notification to the relevant medical authority in advance of competition.

For example, the use of glucocorticosteroid inhalers or aerosols as anti-inflammatory agents is permitted for the treatment of asthma and rhinitis: e.g. **Beconase**, **Becloforte**, **Beclovent**, **Nu-Beclometasone** (beclomethasone), **Pulmicort**, **Rhinocort** (budesonide), **Alti-Flunisolide**, **Rhinalar** (flunisolide), **Azmacort**, **Nasacort** (triamcinolone) are permitted.

The use of topical preparations containing corticosteroids is permitted: e.g. creams, ointments, anal, aural and ophthalmological preparations such as **Cortisporin**, **Cortacet**, **Rectocort**, **Proctosedyl** (hydrocortisone), **Decadron Ear-Eye solution** (dexamethasone), **Desocort** (desonide), **Lyderm** (fluocinonide) are permitted.

The use of glucocorticosteroids in intra-articular injections is permitted: e.g. **Depo-Medrol with lidocaine** (methylprednisolone).

The systemic use of glucocorticosteroids is prohibited when administered orally, rectally, by intravenous or intramuscular injection.

D) CAFFEINE

A urine specimen will be considered positive if the concentration of caffeine exceeds 12 micrograms per milliliter.

It is important to be aware that there are many different sources of caffeine. The normal ingestion of coffee, tea, or various drinks containing caffeine (such as chocolate, coffee, maté, tea and colas) will *not* cause this limit to be exceeded or even remotely approached. However, the ingestion of caffeine tablets, or the use of caffeine suppositories or injections may result in a positive doping test.

E) BETA BLOCKERS

All beta-blockers from the Martindale Pharmacopoeia are now on the list of examples of prohibited substances.

e.g. **Acebutolol** (Monitan, Rhotral, Sectral); **Alprenolol**; **Atenolol** (Apo-Atenolol, Tenormin, Tenoretic); **Carteolol**; **Celiprolol**; **Esmolol**; **Labetalol** (Trandate); **Levobunolol**; **Metipranolol**; **Metoprolol** (Apo-Metoprolol, Betaloc, Lopresor, Numetop); **Nadolol** (apo-Nadol, Corgard, Corzide); **Oxprenolol** (Trasicor); **Pindolol**

(Apo-Pindol, Syn-Pindolol, Viskazide, Visken); **Propranolol** (Apo-Propanol, Detensol, Inderal, Novo-Pranol, Inderide); **Sotalol** (Sotacor); **Timolol** (Apo-Timol, Apo-Timop); and others.

Where the rules of an International Sport Federation so provide, tests will be conducted for beta-blockers.

F) ALCOHOL

Alcohol is not banned.

However, blood or breath alcohol levels may be determined at the request of an International or National Federation (e.g. fencing, shooting). It is recommended that you check with your National Sport Governing Body to confirm the status of alcohol. If you compete in these events, abstain from alcoholic beverages at least twelve hours before the event.

G) CANNABINOIDS

Where the rules of a responsible authority so provide, tests will be conducted for cannabinoids (e.g. marijuana, hashish). At the Olympic Games, tests will be conducted for cannabinoids. A concentration in urine of 11-nor-delta 9-tetrahydrocannabinol-9-carboxylic acid (carboxy-THC) greater than 15 nanograms per millilitre is prohibited.

SUMMARY OF IOC REGULATIONS FOR DRUGS WHICH NEED PHYSICIAN WRITTEN NOTIFICATION

SUBSTANCES	PROHIBITED	AUTHORIZED WITH NOTIFICATION	AUTHORIZED WITHOUT NOTIFICATION
Selected beta-agonists*: salbutamol, salmeterol and terbutaline	<i>-Oral -Systemic injections</i>	<i>-Inhalatory</i>	
Glucocorticosteroids	<i>-Oral -Rectal -intravenous -intramuscular</i>		<i>-Topical (anal, aural, dermatological, inhalatory, nasal, ophthalmological) -Local injections -Intra-articular injections</i>
Local anaesthetics**	<i>-System injections</i>		<i>-Dental -Local injections*** -Intra-articular injections***</i>

*all others beta-agonists are prohibited

**except cocaine, which is prohibited

***in agreement with some International Sports Federations declaration may be necessary in some sports

**SUMMARY OF URINARY CONCENTRATIONS ABOVE WHICH IOC
ACCREDITED LABORATORIES MUST REPORT FINDINGS FOR SPECIFIC
SUBSTANCES**

Caffeine	>12 micrograms / millilitre
Carboxy-THC	>15 nanograms / millilitre
Cathine	>5 micrograms / millilitre
Ephedrine	>10 micrograms / millilitre
Epitestosterone	>200 nanograms / millilitre
Methylephedrine	>10 micrograms / millilitre
Morphine	>1 microgram / millilitre
19-norandrosterone	> 2 nanograms / millilitre in males
19-norandrosterone	>5 nanograms / millilitre in females
Phenylpropanolamine	>25 micrograms / millilitre
Pseudoephedrine	>25 micrograms / millilitre
Salbutamol (stimulant)	>100 nanograms / millilitre
Salbutamol (anabolic agent)	>1000 nanograms / millilitre
T/E ratio	>6

3

Supplements, herbals, homeopathics, etc...

There are a variety of combination products available which claim to have ergogenic effects, many of which are unsubstantiated. Information about the actual ingredients, side effects, manufacturing practices, etc. of many of these products is scarce or non-existent. Please note some of the points to consider prior to taking any of these products.

As a result of changes in US regulations in 1992, it is impossible to verify the accuracy of the labelling of so called nutritional supplements and similar products produced in that country.

- Many of these products, in fact, do contain substances that are banned.
- Many of these products contain botanical or so-called "natural" sources of ephedrine. Ephedrine is an amphetamine-like stimulant that is banned in sport and can have potentially dangerous effects on the central nervous system and heart. Avoid all products listing ma huang, chinese ephedra, ma huang extract, ephedra, ephedra sinica, ephedra extract, ephedra herb powder, sida cordifolia, epitonin or ephedrine as ingredients.
- There is no way to accurately identify all of the properties of every ingredient found in these supplemental combinations.
- Some of these products may contain substances not indicated on the product label.
- There is no way to guarantee the safety, or the accuracy of labelling of such products.

Athletes must always remember that the ultimate responsibility for what they consume rests with themselves. If unsure of what you may be consuming, **do not take that particular product.**

4

Permitted substances

Including examples of banned or restricted drugs

It is important to know that *most drugs are not banned* and therefore are available if needed to treat a justifiable medical condition. Drugs in this category may be prescription or non-prescription drugs. Remember, the list is *not complete* but is meant to give you some idea of what is permitted.

Please note: This list should not be taken as a recommendation concerning the relative efficacy of various substances or as a recommendation to use them. There are other permitted preparations not listed here. Check with your physician, pharmacist, or the CCES.

DRUGS (By Therapeutic Class)	EXAMPLES OF PERMITTED DRUGS (Canadian Brand Names)	EXAMPLES OF BANNED OR RESTRICTED DRUGS
ACNE THERAPY	Antibiotics (erythromycin, tetracycline) see also antibiotics Peroxides (benzoyl peroxide, Benzagel Benozyl, Vanoxide) Retinoids (Accutane, Isotrex, Retin, Stievamycin) Salicylic acid (Acnex) Sulfur containing preparations (Persol) Topical glucocorticosteroids	
ANAESTHETICS, LOCAL	Benzocaine (Auralgan, Ambesol, Dermoplast, Topicaine) Lidocaine (Bactine) Xylocaine and others	Note: The use of local anaesthetic agents permitted in topical application, intra-articular or local injections should be declared to the relevant medical authority. Beware: Preparations containing opioids are not permitted e.g. levorphanol, nalbuphine,
ANALGESICS / ANTI-INFLAMMATORIES	222 AF (Acetaminophen) Acetaminophen Acetylsalicylic acid (ASA) Advil (ibuprofen)	

DRUGS (By Therapeutic Class)	EXAMPLES OF PERMITTED DRUGS (Canadian Brand Names)	EXAMPLES OF BANNED OR RESTRICTED DRUGS
	Apo-Diclo (diclofenac) Apo-Etodolac (etodolac) Aspirin (ASA) Atasol plain (acetaminophen) Brexidol (piroxicam) Bufferin plain Celebrex (celecoxib) Clinoril (Sulindac) Diclofec (diclofenac) Dolobid (Diflunisal) Ecotrin (ASA) Entrophen (ASA) Ergomar Excedrin plain Feldene (Piroxicam) Fexicam (Piroxicam) Froben (Flurbiprofen) Ibuprofen Idarac (Floctafenine) Ketoprofen Motrin (ibuprofen) Nalfon (fenoprofen) Naprosyn (naproxen) Panadol (acetaminophen) Ponstan (Mefenamic acid) Relafen (Nabumetone) Synalar (fluocinolone) Tolectin (Tolmetin) Tylenol plain (acetaminophen) Tylenol Aches and Strains Voltaren Toradol (Ketorolac tromethamine) Vioxx (rofecoxib)	diamorphine, hydrocodone, morphine, pethidine and others. See sections 1A, 1B and section 4.
ANTACIDS	Amphogel Diovil Gelusil Maalox Mylanta Riopan	
ANTI-ANGINALS	Calcium ion influx inhibitors e.g. Diltiazem	Beware: β-blocking agents can be tested for in certain sports See section 2E.

DRUGS (By Therapeutic Class)	EXAMPLES OF PERMITTED DRUGS (Canadian Brand Names)	EXAMPLES OF BANNED OR RESTRICTED DRUGS
ANTIASTHMATICS / BRONCHIAL ANTI- INFLAMMATORIES	<p>Accolate (zaflunukast) Alti-Flunisolide (flunisolide) Aminophylline (theophylline) *Apo-Salvent (salbutamol) Atrovent (ipratropium) *Azmacort (triamcinolone) *Becloforte inhaler (beclomethasone) *Beclodisk inhaler (beclomethasone) *Beclomethasone dipropionate inhalation * Flovent (Fluticasone) Singulair (montelukast)</p> <p>*Beclovent inhaler (beclomethasone) *Bricanyl inhaler (terbutaline) *Bronalide (flunisolide) Choledyl (theophylline) Intal Nalcrom *Nasacort AQ (triamcinolone) Nasonex (mometasone) Novo-Cromolyn *Novo-Salmol inhaler (salbutamol) *Pulmicort (budesonide) Rynachrom Quibron-T (theophylline) *Serevent (salmeterol) Theo-Dur (theophylline) Theophylline Tilade (nedocromil) Vanceril inhaler (beclomethasone) *Ventodisk/dishaler (salbutamol) *Ventolin inhaler (salbutamol) *Glucocorticosteroids and some β-agonists agents are permitted in the aerosol form only and their use should be declared to the responsible medical authority. see section 2B, 2C.</p>	<p>Beware: All β-agonist are banned except Salbutamol(see pages 5 and 7 for cut-off levels), Salmeterol and Terbutaline which are permitted by inhalation form only with prior declaration (see pages 6-8).</p> <p>Alupent Berotec (Fenoterol)</p> <p>Fenoterol Maxair (pirbuterol) Medihaler-ISO Medihaler-EPI Pro Air aerosol Tornalate (bitolterol) and tablets of: Bricanyl Novo-Salmol Volmax</p>

DRUGS (By Therapeutic Class)	EXAMPLES OF PERMITTED DRUGS (Canadian Brand Names)	EXAMPLES OF BANNED OR RESTRICTED DRUGS
ANTIBIOTICS / ANTIBACTERIALS	Antibiotics are all permitted. Amoxicillin Ampicillin Amoxil Apo-Cefaclor (cefaclor) Apo-Oflox (ofloxacin) Bactrim Cephalosporins (cephalexin, cefaclor, cefixime) Clavulin (amoxicillin/calvulanate potassium) Erythrocin Keflex Levaquin (Levofloxacin) Mandelamine Noroxin (norfloxacin) Penbritin Penicillin Macrolides (erythromycin, spiramycin) Raxar (Grepafloxacin) Septra Sulfonamides (sulfamethoxazole / trimetoprim) Tetracyclines (doxycycline, tetracycline) Vibramycin	Combination of probenecid-ampicillin (Pro Biosan) is not permitted.
ANTICONVULSANTS	Dilantin Mysoline Phenobarbital Tegretol (carbamazepine) Valium	
ANTIDEPRESSANTS	Apo-Moclobemide (moclobemide) Desyrel (trazodone) Elavil (amitriptyline) Manerix Norpramin (desipramine) Prozac (fluoxetine) Serzone Tofranil (imipramine) Wellbutrin SR (bupropion) Zoloft (sertraline)	Amineptine (stimulant)

DRUGS (By Therapeutic Class)	EXAMPLES OF PERMITTED DRUGS (Canadian Brand Names)	EXAMPLES OF BANNED OR RESTRICTED DRUGS
ANTIDIABETICS	Diabinese Dimelor Glucophage *Insulin Orinase Tolinase	*Permitted only to treat athletes with certified insulin-dependent diabetes. Written certification of insulin-dependent diabetes must be obtained from an endocrinologist or team physician.
ANTIDIARRHEALS	Cantil Chloroquin Diphenoxylate Donnagel plain Imodium Kaomycin Kaopectate Lomotil Pepto-Bismol	Beware: Preparations containing opiates e.g. Diban (opium) Donnagel-PG (opium) are not permitted.
ANTIFUNGALS	Antibiotics Canesten Desenex Diflucan (fluconazole) Ecostatin Fulvicin Fungizone (amphotericin) Grisovin Loprox Micatin (miconazole) Monistat Mycostatin Nizoral (ketoconazole) Naftin Oxizole (oxiconazole) Tinactin	
ANTIHISTAMINICS	Allerdryl (diphenhydramine) Allegra (fexofenadine) Apo-Terfenadine Atarax (hydroxyzine) Benadryl plain (diphenhydramine) Benadryl Junior Strength Chewable Tablets (diphenhydramine) Chlor-Tripolon plain	Beware: Preparations containing decongestants (stimulants) or narcotic analgesics such as: ephedrine, hydrocodone, phenylephrine, phenylpropanolamine, pseudoephedrine, etc. are not permitted.

DRUGS (By Therapeutic Class)	EXAMPLES OF PERMITTED DRUGS (Canadian Brand Names)	EXAMPLES OF BANNED OR RESTRICTED DRUGS
	(chlorpheniramine) Claritin plain (loratadine) Dimetane plain (brompheniramine) Hismanal Multipax (hydroxyzine) Optimine (azatadine) Panectyl (trimeprazine) Periactin (cyproheptazine) Phenergan (prometazine) Polaramine (dexchlorpheniramine) Pyribenzamine (tripeleannamine) Reactine (cetirizine) Seldane (terfenadine) Zyrtex (cetirizine)	See section 1A, 1B and section 4.
ANTI-INFLAMMATORIES	All non-steroidal anti-inflammatories are permitted. See also analgesics/anti-inflammatories. Glucocorticosteroids are permitted under certain conditions such as inhalation and topical use (see section 2C).	Beware: The use of steroidal anti-inflammatories by injection (intra-articular and local) must be declared. See section 2C.

DRUGS (By Therapeutic Class)	EXAMPLES OF PERMITTED DRUGS (Canadian Brand Names)	EXAMPLES OF BANNED OR RESTRICTED DRUGS
	Orudis (ketoprofen) Pulmicort Rhinocort (budesonide) Tilade (nedocromil) Voltaren (diclofenac)	
ANTIMIGRAINE	Amerge (Naratriptan) Ergomar (ergotamine) Imitrex (sumatriptan) Sibelium (flunarizine)	Beware: The use of β-blocking agents can be tested for in certain sports. Some antimigraine preparations may contain banned substances such as belladonna.
ANTINAUSEANTS	Antivert Bonamine Gravol Marzine Transderm-V	
ANTIPARASITIC	Anthelmintics (Entacyl) Antimalarials (Aralen, Novo-Chloroquine, Quinine, Malarone, Hafan, Lariam) Antiprotozoals (Flagyl)	
ANTITUSSIVES	Balminil DM (dextromethorphan) Balminil expectorant (guaifenesin) Benylin-DM (dextromethorphan) Benylin DM 12 Hour Benylin-DM-E Benylin-E (guaifenesin) Broncho-grippol-DM (dextromethorphan) Calmylin expectorant Calmylin no.1 Delsym (dextromethorphan) Formula 44 Adult Koffex DM Robidex (dextromethorphan) Robitussin (guaifenesin) Robitussin AC Robitussin with codeine Robitussin-DM	Beware: The majority of antitussive preparations contain banned substances such as ephedrine, hydrocodone, phenylephrine, phenylpropanolamine, pseudoephedrine, etc. Narcotic preparations are not permitted; codeine and dihydrocodeine are exceptions. See sections 1A, 1B and section 4.

DRUGS (By Therapeutic Class)	EXAMPLES OF PERMITTED DRUGS (Canadian Brand Names)	EXAMPLES OF BANNED OR RESTRICTED DRUGS
	(dextromethorphan, guaiifenesin) Ualone (chlophedianol)	
ANTIVIRALS	Apo-Cyclovir (acyclovir) Avirax Cytovene(gancyclovir) Famvir (famciclovir) Orvirax Flu vaccine Immunization injections	
ANXIOLYTICS	Ativan (lorazepam) Equanil (meprobamate) Librium Serax (oxazepam) Valium Roche (diazepam)	Beware: Banned for the International Modern Pentathlon Federation.
CONTRACEPTIVES	All oral contraceptives are permitted	
CREAMS / OINTMENTS / LOTIONS	All topical, antifungal, anti- histaminic, anti- infective, anti-pruritic, coaltar and, protective preparations are permitted	
	See also anti-inflammatory agents, topical Actinac Anusol Anusol-HC Neo Medrol Acne Proctosedyl Proctosone	
DECONGESTANTS	*Beconase Nasal spray Dristan Nasal mist/spray Drixoral Nasal solution Otrivin Nasal spray Otrivin saline *Rhinacort Soframycin nasal spray Zincfrin A	Beware: The majority of decongestant preparations contain banned substances such as phenylpropanolamine, pseudoephedrine, etc. See sections 1A, 1B and section 4.
	The use of nasal preparations containing phenylephrine is permitted.	*Note: The use of glucocorticosteroids by inhalation should be declared

DRUGS (By Therapeutic Class)	EXAMPLES OF PERMITTED DRUGS (Canadian Brand Names)	EXAMPLES OF BANNED OR RESTRICTED DRUGS
EYE / EAR	Antibiotics, anti-inflammatories Albalon (naphazoline) Auralgan (antipyrine) Cerumenex Cipro HC (ciprofloxacin/hydrocortisone) Clear Eyes Collyrium (tetrahydroxoline) Cortisporin (hydrocortisone) Metimyd (prednisolone) Naphcon (naphazoline) Neosporin (antibiotic) Ophthocort Patanol (olaptadine) Polysporin (antibiotic) Sodium Sulamyd (sodium sulfacetamide)	to the relevant medical authority. The use of β-blocking agents (glaucoma therapy) can be tested for in certain sports.
GASTRIC ULCER	Novo-Famotidine (famotidine) Pylorid (ranitidine) Reglan (metoclopramide) Tagamet (cimetidine) Zantac (ranitidine)	
HEMORRHOIDAL	Anugesic-HC Anusol Nupercainal Proctosedyl	
LAXATIVES	Colace Doxidan Dulcolax Fleet Magnolax Metamucil	
LOZENGES (THROAT)	Balminil, lozenges Benylin, lozenges Bionet Bradosol Cepacol	

DRUGS (By Therapeutic Class)	EXAMPLES OF PERMITTED DRUGS (Canadian Brand Names)	EXAMPLES OF BANNED OR RESTRICTED DRUGS
	Dequadin Spec T red Strepsils	
MANIA THERAPY	Lithium salts	
MUSCLE RELAXANTS	Flexeril (cyclobenzaprine) Parafon Forte (acetaminophen and chlorzoxazone) Robaxin (methocarbamol) Robaxisal (methocarbamol) Tylenol Aches and Strains (acetaminophen and chlorzoxazone)	
NASAL	See also decongestants and anti-inflammatories *Beconase Nasal spray (beclomethasone) Dristan Nasal mist/spray Nasacort (triamcinolone) Otrivin Nasal spray Privine *Rhinacort (budesonide) Rhinalar (flunisolide) Rhinaris F Soframycin nasal spray	* Note: The use of glucocorticosteroids by inhalation should be declared to the relevant medical authority.
	Glucocorticosteroids: permitted in aerosol form only	
PREMENSTRUAL SYNDROME AND DYSMENORRHEA	Midol PMS	Beware: Premenstrual syndrome and dysmenorrhea preparations containing caffeine.
SEDATIVES	Dalmane (flurazepam) Halcion Imovane (zopiclone) Nytol plain (diphenhydramine) Restoril (temazepam) Valium	Beware: Banned for International Modern Pentathlon Federation.
SMOKING CESSATION AIDS	Habitrol (nicotine) Nicoderm (nicotine)	

DRUGS (By Therapeutic Class)	EXAMPLES OF PERMITTED DRUGS (Canadian Brand Names)	EXAMPLES OF BANNED OR RESTRICTED DRUGS
	Nicorette (nicotine) Nicotrol (nicotine) Zuban (bupropion)	
VAGINAL	see also antifungals AVC Betadine Canesten Clotrimadrem Flagyl Flagystatin Monistat Mycostatin Nidagel (metronidazole) Ovoquinol Terazol (terconazole)	

Banned (restricted) substances

In alphabetical order

The following is a non-exhaustive list in alphabetical order of banned substances, of other nonproprietary names, of Canadian trade names (**bold**) and of some foreign trade names (†) containing banned substances:

222 tablets (caffeine)	Alertonic (pipradrol)
282 tablets (caffeine)	Alfenta (alfentanyl)
282 MEP (caffeine)	Alfentanyl
292 tablets (caffeine)	Allegra-D (pseudoephedrine)
692 tablets (caffeine)	Alphaprodine
Accuretic (hydrochlorothiazide)	†Alphatrex (betamethasone)
Acebutolol	Alprenolol
Acet-2 (caffeine)	Alti-ociprenaline (ociprenaline)
Acet-3 (caffeine)	Alupent (ociprenaline)
Acetazolam (acetazolamide)	Amfepramone (diethylpropion)
Acetazolamide	Amphetamine (amphetamine, desoxynorephedrine, dexamphetamine)
ACTH (corticotropin)	Amfetaminil (amfetaminil)
Acthar (corticotropin)	Ami-Hydro (amiloride, hydrochlorothiazide)
Acthar Gel (corticotropin)	Amifenazole (amiphenazole)
Actifed (pseudoephedrine)	Amiloride
Actifed 12 hours (pseudoephedrine)	Amineptine
Actifed Plus Extra Strength (pseudoephedrine)	Amiphenazole (amifenazole)
Actifed-DM (pseudoephedrine)	Amphetamine (amphetamine, desoxynorephedrine)
†Adipex-P (phentermine)	Amphetaminil (amfetaminil)
†Adipost (phendimetrazine)	Anacin (caffeine)
Adrenaline (epinephrine)	Anacin Extra Strength (caffeine)
Advil Cold and Sinus (pseudoephedrine)	Anadiol (veterinary) (testosterone)
†Aerolone (isoproterenol)	†Anadrol (oxymetholone)
†Afrinol (pseudoephedrine)	Anatest (veterinary) (testosterone)
A-Hydrocort (hydrocortisone)	†Anavar (oxandrolone)
Ak Cide (prednisolone)	Anapolon 50 (oxymetholone)
Ak Dex (dexamethasone)	Andriol (testosterone)
Ak Tate (prednisolone)	†Android (methyltestosterone)
Alcaloïdes de l'opium	†Android-F (fluoxymesterone)
Aldactazide (hydrochlorothiazide, spironolactone)	†Androlone (androstanolone)
Aldactone (spironolactone)	†Andronaq (testosterone)

†Andronate (testosterone)
†Andropository 100 (testosterone)
Androstenedione
Androstenediol
†Andryl 200 (testosterone)
Anileridine
Anodan-HC (hydrocortisone)
Anusol-HC (hydrocortisone (suppositories)
†Anorex (phendimetrazine)
A.P.L. (HCG)
Apo-Acetazolamide (acetazolamide)
Apo-Amilzide (amiloride,
hydrochlorothiazide)
Apo-Atenolol (atenolol)
Apo-Chlorthalidone (chlorthalidone)
Apo-Furosemide (furosemide)
Apo-Hydro (hydrochlorothiazide)
Apo-Methazide (hydrochlorothiazide)
Apo-Metoprolol (metoprolol)
Apo-Metoprolol type L (metoprolol)
Apo-Nadol (nadolol)
Apo-Pindol (pindolol)
Apo-Prednisone (prednisone)
Apo-Propanolol (propranolol)
Apo-Selegiline (selegiline)
Apo-Spirozide (hydrochlorothiazide,
spironolactone)
Apo-Tamox (tamoxifen, prohibited in males
only)
Apo-Timol (timolol)
Apo-Timop (timolol)
Apo-Triazide (hydrochlorothiazide,
triamterene)
†Appecon (phendimetrazine)
†Aquafor (xipamide)
†Aquatag (benzthiazide)
Aristocort parenteral, syrup, tablet
(triamcinolone)
†Astramorph (morphine)
Atasol-15 (caffeine)
Atasol-30 (caffeine)
Atasol-8 (caffeine)
Atenolol
†Bacarate (phendimetrazine)
Balminil DM + Decongestant +
Expectorant (pseudoephedrine)
Balminil Decongestant (pseudoephedrine)
Balminil DM + Decongestant
(pseudoephedrine)
Balminil Nasal Ointment (ephedrine)
† Bambec (bambuterol)

Bambuterol
Beben (beclomethasone)
Benadryl Allegy/Sinus/Headache
(pseudoephedrine)
Bendrofluazide
Bendroflumethiazide
Benemid (probencid)
Benuryl (probencid)
Benylin Codeine 3.3 mg - D-E syrup
(pseudoephedrine)
Benylin DM-D (pseudoephedrine)
Benylin DM-D-E (pseudoephedrine)
Benylin DM-D-E Extra Strength
(pseudoephedrine)
Benylin 4 Flu (pseudoephedrine)
†Benzedrex (propylhexedrine)
Benzphetamine (benzphetamine)
Benzhydroflumethiazide
Benzphetamine (benzphetamine)
Benzthiazide
Berotec (fenoterol)
Berotec Forte (fenoterol)
Betagan (levobunolol)
Betaject (betamethasone)
Betaloc (metoprolol)
Betaxolol
Betnesol tablets (betamethasone)
Betoptic (betaxolol)
Bisoprolol
Blocadren (timolol)
Bolasterone
Boldenone
Bricanyl, tablets (terbutaline)
†Brinaldix (clopamide)
Bromantan
†Broncospamine (reprotoberol)
Bumetanide
†Bumex (bumetanide)
†Buprenex (buprenorphine)
Buprenorphine
Burinex (bumetanide)
C2 buffered with codeine (caffeine)
Cafergot (caffeine)
Cafergot-PB (belladonna, caffeine)
Caffeine
Caldomine DH (hydrocodone,
phenylpropanolamine)
Calmydone (etafedrine, hydrocodone)
Calmylin with codeine (pseudoephedrine)
Calmylin Cough & Flu, #2, #3
(pseudoephedrine)
Camphorated opium TCT (morphine)

Canrenone	Cortifoam (hydrocortisone)
†Capozide (hydrochlorothiazide)	Cortisone Acetate-ICN (cortisone)
Carphedon	Cortone Suspension (cortisone)
Carteolol	Cortone Tablets (cortisone)
†Cartrol (carteolol)	†Cortrophin (corticotropin)
Cathine (norpseudoephedrine)	Cotabs (caffeine)
Celestone (betametasone)	Cotridin (pseudoephedrine)
Celestone Soluspan (betamethasone)	Cotridin Expectorant (pseudoephedrine)
Celiprolol	Cropropamide
†Cheque (veterinary) (mibolerone)	Crotetamide (crothetamide)
Chlor-Tripolon Decongestant (pseudoephedrine)	Cyclofenil (Prohibited in males only)
Chlor-Tripolon N.D. (pseudoephedrine)	Cylert (pemoline)
Chlormerodrine	Dalmacol (etafedrine, hydrocodone)
Chlorphentermine	Danazol
Chlortalidone	†Dapex (phentermine)
Chlorpropylamphetamine	Deca-Durabolin (nandrolone)
Chlortestosterone	Decadron (dexamethasone)
Chlorthalidone	Decadron Tabs (dexamethasone)
Chorionic gonadotropin (hCG) (Prohibited in males only)	†Degest (phenylephrine)
Claritin-Extra (pseudoephedrine)	Dehydrochlormethyltestosterone (turinabol)
Clenbuterol	Dehydroepiandrosterone (DHEA)
Climacteron (testosterone)	†Delatest (testosterone)
Clobenzorex	Delatestryl (testosterone)
Clomid (clomiphene, prohibited in males only)	†Deltamine (pemoline)
Clomiphene (Prohibited in males only)	Deltasone (prednisone)
Clorprenaline	Demerol (pethidine)
Clostebol	†depAndro (testosterone)
CoActified Preparations (pseudoephedrine)	Depo-Medrol (methylprednisolone)
CoActifed Expectorant (pseudoephedrine)	† Depotest (testosterone)
Cocaine	Depo-Testosterone cypionate (testosterone)
Contac Cold 12 hour relief Extra Strength (phenylpropanolamine)	Deprenyl (selegiline)
Contac Cold 12 hour relief Regular Strength (phenylpropanolamine)	Dermonal (veterinary) (methyltestosterone)
Contac Cold 12 hour relief non-drowsy (pseudoephedrine)	Desoxyephedrine (methylamphetamine, methamphetamine)
Contac Cough, Cold and Flu Day & Night (pseudoephedrine)	†Desoxyn (methamphetamine)
Cophylac (hydroxyephedrine)	Desoxynorephedrine (amphetamine, amphetamine)
Cophylac Expectorant (hydroxyephedrine)	Detensol (propranolol)
Cortef (hydrocortisone)	Dexamphetamine (amphetamine, amphetamine)
Corgard (nadolol)	Dexasone (dexamethasone)
Coricidin "D" (phenylpropanolamine)	Dexedrine (amphetamine)
Coricidin "D" long acting (phenylpropanolamine)	Dextromoramide
Coricidin Non Drowsy (phenylpropanolamine)	Diamorphine (heroin)
Coristex-DH (hydrocodone, phenylephrine)	Diamox (acetazolamide)
Coristine-DH (hydrocodone, phenylephrine)	Diban (opium)
Cortenema (hydrocortisone)	Dichlorphenamide
	†Didrex (benzphetamine)
	Diethylpropion (amfepramone)
	Dihydrochlorothiazide
	Dihydrotestosterone

Dilauidid (hydromorphone)
Dilauidid-HP (hydromorphone)
Dilauidid-HP-Plus (hydromorphone)
Dilauidid-XP (hydromorphone)
Dimetamphetamine (dimethylamphetamine)
Dimetane-Expectorant (phenylephrine, phenylpropanolamine)
Dimetane Expectorant-C
(phenylpropanolamine, phenylephrine)
Dimetane-Expectorant-DC (hydrocodone, phenylephrine, phenylpropanolamine)
Dimetapp Cough and Cold Liquid Gel
(phenylpropanolamine)
Dimetapp Quick Dissolve
(phenylpropanolamine)
Dimetapp tablets (phenylephrine, phenylpropanolamine)
Dimetapp Chewables
(phenylpropanolamine)
Dimetapp Clear (phenylpropanolamine)
Dimetapp Extentabs (phenylephrine, phenylpropanolamine)
Dimetapp Liquid-Gels
(phenylpropanolamine)
Dimetapp Oral Infant (phenylephrine, phenylpropanolamine)
Dimetapp-A Sinus (phenylephrine, phenylpropanolamine)
Dimetapp-C (phenylephrine, phenylpropanolamine)
Dimetapp-DM (phenylephrine, phenylpropanolamine)
Dimethylamphetamine (dimetamphetamine)
Dionephrine (phenylephrine)
Diophenyl-T (phenylephrine)
Dioprtrol (dexamethasone)
Dipipanone
†**Diurexan** (xipamide)
†**Dolophine** (methadone)
Doloral (morphine)
Donnagel-PG (opium)
Dristan (phenylephrine)
Dristan Extra Strength
(phenylephrine)
Dristan N.D. (pseudoephedrine)
Dristan N.D. Extra Strength
(pseudoephedrine)
Dristan Sinus (pseudoephedrine)
Drixoral (pseudoephedrine)
Drixoral N.D. (pseudoephedrine)
Drixoral Day/Night Cold Relief System (pseudoephedrine)
Drixtab (pseudoephedrine)

†**Drolban** (drostanolone)
†**Dromoran** (levorphan)
Dromostanolone (drostanolone)
Drostanolone (dromostanolone)
Duovent UDV (fenoterol)
Duragesic (fentanyl)
†**Duratest** (testosterone)
†**Durathate-200** (testosterone)
Duretic (methyclothiazide)
Dyazide (hydrochlorothiazide, triamterene)
Dyrenium (triamterene)
†**Dyrexan-OD** (phendimetrazine)
Edecrin (ethacrynic acid)
†**Effortil Plus** (etilefrine, ethylnorphenylephrine)
Eldepryl (selegiline)
Eltor 120 (pseudoephedrine)
Endocet (oxycodone)
Endodan (oxycodone)
Entex-LA (phenylpropanolamine)
Entocort Capsules (budenoside)
Entocort Enema (budenoside)
Ephedrine HCl
Ephedrine sulfate
Epitestosterone
Equipoise (veterinary) (boldenone)
Ergodryl (caffeine)
Erythropoietin
†**Esidrix** (hydrochlorothiazide)
†**Esimil** (hydrochlorothiazide)
Esmolol
†**Estratest** (methyltestosterone)
Etafedrine (etaphedrine, ethylephedrine)
Etamfetamine (ethylamphetamine, ethamphetamine)
Etaphedrine (etafedrine, ethylephedrine)
Ethacrynic acid
Ethamivan
Etamivan
Ethamphetamine
Ethoheptazine
Ethylamphetamine (etamfetamine, ethamphetamine)
Ethylephrine
Ethylnorphenylephrine (etilefrine)
Etilefrine (ethylnorphenylephrine)
†**Everone 200** (testosterone)

†Exna (benzthiazide)	hCG (chorionic gonadotropin) (Prohibited in males only)
Exdol-15 (caffeine)	Heifer-aid (veterinary) (testosterone)
Exdol-30 (caffeine)	Hemcort HC Suppositories (hydrocortisone)
Exdol-8 (caffeine)	Heptaminol
Extra Strength Acetaminophen with Codeine (caffeine)	Heracline (hormones)
Fencamfamine	Heroine (diamorphine)
Fenetylline (7-ethyltheophylline amphetamine)	Hexadrol Phosphate Injection (dexamethasone)
Fenfluramine	Hexahydrodesoxyephedrine (propylhexedrine)
Fenoterol	†Histerone (testosterone)
Fenozalone	Human Growth Hormone (hGH, somatotropin)
Fenproporex	Humatropे (growth hormone, somatotropin)
Fensidnimine (mesocarb, sydnocarb)	Humegon (growth hormone, somatotropin)
Fentanyl	† Hybolin Decanoate (nandrolone)
†Fertodur (cyclofenil, prohibited in males only)	† Hybolin-Improved (nandrolone)
Fetiform HP (gonadotropin)	Hycodan (hydrocodone)
Fiorinal (caffeine)	Hycomine (hydrocodone, phenylephrine)
Fiorinal-C1/2 (caffeine)	Hycomine-S (hydrocodone)
Fiorinal-C1/4 (caffeine)	Hycort (hydrocortisone)
†Finaject (veterinary) (trenbolone)	† Hydrex (benzthiazide)
Fluoxymesterone	† Hydro-chlor (hydrochlorothiazide)
Foradil (formoterol)	Hydrochlorothiazide
Formebolone	Hydrocodone
Formoterol	Hydrocortisone sodium succinate for injection (hydrocortisone)
Formula 44 D Adult/Pediatric (pseudoephedrine)	HydroDiuril (hydrochlorothiazide)
Formula 44 M Adult (pseudoephedrine)	Hydromorph Contin (hydromorphone)
Frusemide (furosemide)	Hydromorphone
Furazabol	Hyzaar (hydrochlorothiazide)
Furfenorex	I.D.M. (ephedrine)
Furosemide (frusemide)	Indapamide
Gen-Atenolol (atenolol)	Inderal (propranolol)
Gen-Beclo AQ (beclomethasone)	Inderal-LA (propanolol)
Gen-Indapamide (indapamide)	Inderide (hydrochlorothiazide, propranolol)
Gen-Metoprolol (metoprolol)	Inhibace Plus (hydrochlorothiazide)
Gen-Pindolol (pindolol)	Insulin
Gen-Selegiline (selegiline)	Ionamin (phentermine)
Gen-Sotalol (sotalol)	Isonipecaine (pethidine, meperidine)
Gen-Tamoxifen (tamoxifen, prohibited in males only)	Isoprenaline (isoproterenol)
Gen-Timolol (timolol)	Isoprofenamine (isoprophenamine)
Geri-Bons (veterinary) (methyltestosterone)	Isoprophenamine (isoprofenamine)
Geri-tabs (veterinary) (methyltestosterone)	Isopropyladrenaline (isoproterenol)
Gestrinone	Isopropylarterenol (isoproterenol)
Gonal-F (gonadotropin)	
Gravergol (caffeine)	
Halotestin (fluoxymesterone)	

Isuprel (isoproterenol)	† Methadose (methadone)
† Kabinol (nandrolone)	Methamphetamine (methylamphetamine, desoxyephedrine)
Kadian (morphine)	Methandienone (methandrostenolone)
Kenalog-40 Injection	Methandriol
(Triamcinolone)	Methandrostenolone (methandienone)
† Kerlone (betaxolol)	Methenolone (metenolone)
Labetalol	Methoxyphenamine (mexyphamine)
Lasix (furosemide)	Methylamphetamine (methamphetamine, desoxyephedrine)
Lasix Special (furosemide)	Methylenedioxymethamphetamine
Lenoltac with codeine no.1, no.2, no.3 (caffeine)	Methylephedrine
Leritine (anileridine)	Methylphenidate
† Levatol (penbutolol)	Methylprednisolone sodium succinate for injection USP (methylprednisolone)
Levobunolol	Methyltestosterone
Levorphan	Methyltestosterone tabs. (veterinary)
Levorphanol	Metipranolol
Linsotalol (sotalol)	Metoprolol
Lopresor (metoprolol)	Metreton (prednisone)
Lozide (indapamide)	Mexyphamine (methoxyphenamine)
† Lozol (indapamide)	Mibolerone
† l-Phrine (phenylephrine)	† Micoren (cropropamide, crotetamide)
Lupron (peptide hormone analogue)	Midamor (amiloride)
Lupron depot (ue hormone analog)	Midol (caffeine)
Luteinizing Hormone (LH) (Prohibited in males only)	Midol Multi-Symptom Extra Strength (caffeine)
Lutrepulse (peptide hormone analogue)	† Miotolon (furazabol)
Malogen (testosterone)	† Mirapront (phentermine)
Malogex (testosterone)	Moduret (amiloride, hydrochlorothiazide)
Mannitol (by intravenous injection)	Monitan (acebutolol)
† Masterid (drostanolone)	Morazone (taruzate)
† Masteril (drostanolone)	Morphine
Med-Atenolol (atenolol)	Morphine Sulfate Injection UPS, BP (morphine)
Medrol (methylprednisolone)	Morphitec (morphine)
Med-Timolol (timolol)	M.O.S. (morphine)
Mefenorex	M.O.S.-S.R. (morphine)
Megral (caffeine)	M.O.S.- Sulfate (morphine)
Meperidine (pethidine, isonippecaine)	MS Contin (morphine)
Mephentermine	MS.IR (morphine)
Mercodol with decapryn (etafedrine, hydrocodone)	Mydfrin (phenylephrine)
Mersaly	† Myrosemide (furosemide)
M-Elon (morphine)	Nadolol
Mesocarb (fensidnimine, sydnocarb)	Nalbuphine
Mesterolone	Nandrabolin (veterinary) (nandrolone)
Metandienone	
Metandren (methyltestosterone)	
† Metaprel (orciprenaline)	
Metaproterenol (orciprenaline)	
Metenolone (methenolone)	
Methadone	

Nandrolone	Novo-Gesic-C8, -C15,-C30 (caffeine)
Naturetin (bendroflumethiazide)	Novo-Hydrazide (hydrochlorothiazide)
Neo-Citran A (phenylephrine)	Novo-Indapamide (indapamide)
Neo-Citran Adult (phenylephrine)	Novo-Levobunolol (bunolol)
Neo-Citran-DM (phenylephrine)	Novo-Metoprol (metoprolol)
Neo-Citran Extra-Strength (phenylephrine)	Novo-Nadolol (nadolol)
Neo-Citran Extra-Strength daycaps (pseudoephedrine)	Novo-Pindol (pindolol)
Neo-Citran Nutrasweet (phenylephrine)	Novo-Pranol (propranolol)
Neo-Citran Sinus extra strength (phenylephrine)	Novo-Propoxyn compound (caffeine)
† Neo-Durabolic (nandrolone)	Novo-Salmol, tablets (salbutamol)
Nicethamide (nicethamide)	Novo-Selegiline (selegiline)
† Neoclym (cyclofenil, prohibited in males only)	Novo-Semide (furosemide)
Nikethamide (nicethamide)	Novo-Sotalol (sotalol)
Nilevar (norethandrolone)	Novo-Spiroton (spironolactone)
Nobesine (amfepramone, diethylpropion)	Novo-Spirozine (hydrochlorothiazide, spironolactone)
Nolvadex (tamoxifen, prohibited in males only)	Novo-Tamoxifen (tamoxifen, prohibited in males only)
Nolvadex -D (tamoxifen, prohibited in males only)	Novo-Thalidone (chlorthalidone)
19-norandrostenediol	Novo-Timol (timolol)
19-norandrostenedione	Novo-Triamzide (hydrochlorothiazide, triaterene)
Norethandrolone	Novo-Zolamide (acetazolamide)
Norgesic (caffeine)	Nu-Acebutolol (acebutolol)
Norgesic forte (caffeine)	Nu-Amilzide (amiloride, hydrochlorothiazide)
† Norisodrine (isoproterenol)	Nu-Atenol (atenolol)
Norpseudoephedrine (cathine)	Nu-Indapamide (indapamide)
Novahistex C (phenylephrine)	Nu-Metop (metoprolol)
Novahistex DH (hydrocodone, phenylephrine)	Nu-Pindol (pindolol)
Novahistex DH Expectorant (hydrocodone, phenylephrine)	Nu-Propranol (propranolol)
Novahistex DM Expectorant with Decongestant (pseudoephedrine)	Nu-Salbutamol Tablets (salbutamol oral)
Novahistex DM decongestant (pseudoephedrine)	Nu-selegiline (selegiline)
Novahistex Expectorant Decongestant (pseudoephedrine)	Nu-Sotalol (sotalol)
Novahistine Decongestant (phenylephrine)	Nu-Timolol (timolol)
Novahistine DH (hydrocodone, phenylephrine)	Nu-Triazide (hydrochlorothiazide, triaterene)
Novahistine DM Decongestant (pseudoephedrine)	Nubain (nalbuphine)
Novahistine DM Decongestant Expectorant (pseudoephedrine)	Numorphan (oxymorphone)
Novamilor (amiloride, hydrochlorothiazide)	Nutropin (somatropin, growth hormone)
Novo-Acebutolol (acebutolol)	Nutropin-AQ (somatropin, growth hormone)
Novo-Atenolol (atenolol)	Nyquil (pseudoephedrine)
Novo-Doparil (hydrochlorothiazide)	Nyquil Children's (pseudoephedrine)

- † Oby-Trim (phentermine)
 † Occupress (carteolol)
 † Ocu-Phrine (phenylephrine)
Omni-Tuss (ephedrine)
 † OptiPranolol
Opium Belladonna (morphine)
Opium TCT (morphine)
Ophtho-Bunolol (bunolol)
Oradrine (caffeine, phenylpropanolamine)
Oramorph SR (morphine)
 † Ora Testryl (fluoxymesterone)
 † Oral-turinabol (turinabol, dehydrochlormethyltestosterone)
 † Oranabol (oxymesterone)
 † Orchisterone-P (testosterone)
 Orciprenaline (metaproterenol)
Ocipren (orciprenaline)
 † Ordinator (etilefrine, ethylnorphenylephrine)
 † Oretic (hydrochlorothiazide)
 † Oreticyl (hydrochlorothiazide)
 † Oreton (methyltestosterone)
Osmitol (mannitol, diuretic)
 Oxandrolone
Oxeze Turbuhaler (formeterol)
 Oxprenolol
Oxycocet (oxycodone)
Oxycodan (oxycodone)
Oxycontin (oxycodone)
 Oxymesterone
 Oxymetholone (anapolon)
Painex (caffeine)
 Parahydroxylamphetamine
 † Paredrine (parahydroxyamphetamine)
 Pemoline (phenoxazole, phenylisohydantoïne)
 Penbutolol
 † **Pentabtol** (androstenediol)
Pentaspan (pentastarch, plasma expander)
 Pentazocine
 Pentetrazol (pentylenetetrazol)
 Pentylenetetrazol (pentetrazol)
Percocet (oxycodone)
Percocet-Demi (oxycodone)
Percodan (oxycodone)
Pergonal (gonadotropins, prohibited in males only)
 Pethidine (meperidine, isonipecaine)
Pethidine Injection BF (pethidine)
 Phenazocine
 Phendimetrazine (phenimethoxazine)
- Phenergan Expectorant VC with Codeine**
 (phenylephrine)
 † **Phenhist Expectorant** (pseudoephedrine)
 Phenimethoxazine (phendimetrazine)
 Phenmetrazine (oxazimedrine)
 Phenoxazole (pemoline, phenylisohydantoïne)
 Phentermine
 Phenylephrine
 Phenylisohydantoïne (pemoline, phenoxyazole)
 Phenylpropanolamine
Phenyltrophe (phenylephrine)
Pholedrine
 † Physetone (methadone)
 Pindolol
 Pipradol (pipradol)
 Pipradrol (pipradol)
 † Planipart (clenbuterol)
 † Plegine (phendimetrazine)
Plus sinus (pseudoephedrine)
PMS-Dexamethasone
 (dexamethasone tablets)
PMS-Cocaine Hydrochloride
 (cocaine)
PMS-Dopazide (hydrochlorothiazide)
PMS-Hydromorphone
 (hydromorphone)
PMS-Indapamide (indapamide)
PMS-Methylphenidate
 (methylphenidate)
PMS-Metoprolol-B (metoprolol)
PMS-Opium and belladonna
 (morphine, belladonna)
PMS-Propranolol (propranolol)
PMS-Pseudoephedrine
 (pseudoephedrine)
PMS-Tamoxifen (tamoxifen)
PMS-Testosterone (testosterone)
 † Ponderal (fenfluramine)
Pregnyl (HCG)
 † Preludin (phenmetrazine)
 † Primobolan (methenolone)
Prinzipide (hydrochlorothiazide)
Pro Biosan (probencid)
Pro-Air inhaler (procaterol)
 † Probalan (probencid)
 Probencid
Profasi HP (HCG)
 Prolintane
 Propranolol
 Propylhexedrine
 (hexahydrodesoxyephedrine)

†Proviron (mesterolone)	Sinutab Nigh-time Regular Formula (pseudoephedrine)
Protropin (growth hormone, somatropin)	Sinutab No Drowsiness Extra Strength (pseudoephedrine)
Pseudoephedrine	Sinutab No Drowsiness (pseudoephedrine)
Pseudofrin (pseudoephedrine)	Sinutab SA (phenylpropanolamine)
Pulmorphan Expectorant (phenylephrine)	Sinutab with Codeine (pseudoephedrine)
Pulmorphan Pediatric (phenylephrine)	Slow-Trasicor (oxprenolol)
Pyrovalerone	Sodium Edecrin Injection (ethacrynic acid)
Regular Strength Acetaminophen with codeine (caffeine)	Solucodan (hydrocodone)
†Rehibin (cyclofenil, prohibited in males only)	Solucodan-H (hydrocodone)
Rheomacrodex (dextran 40, plasma expander)	Solu-cortef (hydrocortisone)
Rhotral (acebutolol)	Solu-Medrol (methylprednisolone)
†Retroton (chlorthalidone)	Sotacor (sotalol)
Reprotorol	Sotalol
Riphenidate (methylphenidate)	Spec T green (lozenges) (phenylpropanolamine, phenylephrine)
Ritalin (methylphenidate)	†Spiropent (clenbuterol)
Ritalin-SR (methylphenidate)	Spironolactone
† RMS-Uniserts (morphine)	Stanozolol
Robidone (hydrocodone)	Statex (morphine)
Robitussin Cough and Cold Liquid-Gels (pseudoephedrine)	†Steranabol (chlortestosterone, clostebol)
Robitussin Cough, Cold and Flu Liqui-Gels (pseudoephedrine)	†Stimul (pemoline)
Robitussin Cough and Cold (pseudoephedrine)	Strychnine
Robitussin Cough and Cold Extra-Strength (pseudoephedrine)	†Sublimaze (fentanyl)
Robitussin Pediatric Cough and Cold (pseudoephedrine)	Sudafed Cold and Cough Extra Strength (pseudoephedrine)
†Roxanol (morphine)	Sudafed Cold and Flu (pseudoephedrine)
Roxicet (oxycodone)	Sudafed Decongestant Extra Strength 12 Hours (pseudoephedrine)
Saizen (somatropin, growth hormone)	Sudafed Head Cold and Sinus Extra Strength (pseudoephedrine)
Salbutamol, albuterol (oral)	Sufenta (sufentanil)
Salmeterol (oral)	Supeudol (oxycodone)
Sanorex (mazindol)	Suprefact (peptide hormone analogue)
Scheinpharm Atenolol (atenolol)	Suprefact Depot (peptide hormone analogue)
Scheinpharm Testone-cyp (testosterone)	Sydnocarb (fensidnimine, mesocarb)
Scheinpharm Triamcin-A (triamcinolone)	Sunadrel (peptide hormone analogue)
Sectral (acebutolol)	Synovex-H (veterinary) (testosterone)
Selegiline (deprexyl)	†Talacen (pentazocine)
Ser-Ap-Es (hydrochlorothiazide)	Talwin (pentazocine)
Serophene (clomiphene, prohibited in males only)	Tamofen (tamoxifen, prohibited for males only)
Serostim (growth hormone, somatropin)	Tamone (tamoxifen, prohibited for males only)
Sinutab (pseudoephedrine)	Tamoxifen (Prohibited for males only)
Sinutab Extra Strength (pseudoephedrine)	Tanta Orciprenaline (orciprenaline)
	Tarcuzate (morazone)

Taro-Atenolol	Triaminic DM Nighttime
Tecnal C^{1/4}, C^{1/2} (caffeine)	(pseudoephedrine)
Tedral (ephedrine)	Triaminic DM Expectorant
Tenoretic (atenolol, chlorthalidone)	(pseudoephedrine)
Tenormin (atenolol)	Triaminic Expectorant
Tenuate (amfepramone, diethylpropion)	(pseudoephedrine)
† Tepanil (diethylpropion)	Triaminic Expectorant DH
Terbutaline (oral)	(hydrocodone, phenylpropanolamine)
† Testa-C (testosterone)	Triaminic Oral Pediatric Drops
† Testamone-100 (testosterone)	(pseudoephedrine)
† Test aqua (testosterone)	Triaminic Tablets
† Tested Cypionate 200 (testosterone)	(phenylpropanolamine)
† Testex (testosterone)	Triaminicin (phenylpropanolamine)
† Testoderm (testosterone)	Triaminicol-DM (pseudoephedrine)
† Testoject (testosterone)	Triamterene
† Testone L.A. (testosterone)	Trianal C 1/4, C 1/2 (caffeine)
Testos-100 (veterinary) (testosterone)	Triatec-8, 8- Strong (caffeine)
Testosterone	Trimeperidine
Testosterone Enanthate	Trisulfaminic (phenylpropanolamine)
InjectionUSP (testosterone)	Troxicode (oxycodone)
Testosterone Propionate	Turinabol
InjectionUSP (testosterone)†	(dehydrochlormethyltestosterone)
Testred (methyltestosterone)	Tussaminic C (phenylpropanolamine)
† Testred cypionate 200 (testosterone)	Tussaminic DH
† Testrin-P.A. (testosterone)	(phenylpropanolamine, hydrocodone)
† Thalitone (chlorthalidone)	Tussionex (hydrocodone)
Tim-AK (timolol)	Tylenol Allergy Sinus medication
Timolide (hydrochlorothiazide, timolol)	(pseudoephedrine)
Timolol	Tylenol Decongestant
Timoptic (timolol)	(pseudoephedrine)
Timoptic-XE (timolol)	Tylenol Extra Strength (Daytime)
Timilo (timolol)	Cold medication (pseudoephedrine)
† Toprol-XL (metoprolol)	Tylenol Regular Strength (Daytime)
Torasemide (torsemide)	Cold medication (pseudoephedrine)
Torsemide (torasemide)	Tylenol Extra Strength (Nighttime)
Toretic (hydrochlorothiazide)	Cold medication (pseudoephedrine)
Toretycl (hydrochlorothiazide)	Tylenol Regular Strength
Trandate (labetalol)	(Nighttime) Cold medication
Trasicor (oxprenolol)	(pseudoephedrine)
Trenbolone	Tylenol Extra Strength Cold and
Triamcinolone Diacetate injectable suspension UPS (triamcinolone)	Flu powder: Honey Lemon
Triaminic Cold and Fever (pseudoephedrine)	Flavour (pseudoephedrine)
Triaminic DM Daytime (phenylpropanolamine)	Tylenol Extra Strength Cold and
	Flu powder: Chicken Soup Flavour
	(pseudoephedrine)
	Tylenol Cough medication with
	Decongestant (pseudoephedrine)
	Tylenol Extra-strength Sinus
	medication (pseudoephedrine)
	Tylenol Regular Strength Sinus
	medication (pseudoephedrine)
	Tylenol Flu Medication
	(pseudoephedrine)

Tylenol Sinus Medication
(pseudoephedrine)
Tylenol with codeine no. 1, no. 1 forte, no.2 and no. 3 (caffeine)
Ultiva (remifentanil)
Uridon (chlorthalidone)
Urozide (hydrochlorothiazide)
†**Vapo-Iso** (isoproterenol)
Vaseretic (hydrochlorothiazide)
Vasofrinic DH (hydrocodone, pseudoephedrine)
Ventipulmin (veterinary) (clenbuterol)
Ventolin Injection (salbutamol)
Ventolin Oral Liquid (salbutamol)
†**Vibutal** (caffeine)
†**Viskaldix** (clopamide)
Vicks (pseudoephedrine)
Vicks, cough syrup (ephedrine)
†**Virilon** (methyltestosterone)
†**Virilon IM** (testosterone)
Viskazide (hydrochlorothiazide, pindolol)
Visken (pindolol)
Wake-ups (caffeine)
Wigraine (caffeine, belladonna)
Winpred (prednisolone)
Winstrol (stanozolol)
Winstrol-V (veterinary) (stanozolol)
Wyamine (mephentermine)
†**Zantryl** (phentermine)
†**Zebeta** (bisoprolol)
Zestoretic (hydrochlorothiazide)
Zoladex (peptide hormone analogue)
Zoladex LA (peptide hormone analogue)